ERIBA CAR

Price list and technical data for the UK - Valid from 01.11.2024







CONTENT

important information when choosing your camper var			
ERIBA Car	4		
ERIBA Original Parts	10		

IMPORTANT INFORMATION REGARDING THE SELECTION OF YOUR MOTORHOME

When buying a motorhome, camper van or urban vehicle (hereafter: motorhome), it is particularly important to choose the right layout and an appealing design. In addition, weight also plays an essential role. Family, friends, optional equipment, accessories and baggage – space must be available for all of these. At the same time, there are legal and technical limits to the configuration and load. Every motorhome is designed for a certain weight, which may not be exceeded during driving. For motorhome buyers, this raises the question: How should I configure my vehicle to accommodate passengers, baggage and accessories according to my needs without the vehicle exceeding this maximum weight? In order to make this decision easier for you, we provide you below with a few tips that are particularly important when selecting your vehicle from our portfolio:

1. The technically permissible maximum laden mass...

... is a value set by the manufacturer which the vehicle may not exceed. ERIBA specifies a layout-related upper limit for the vehicle, which can vary from layout to layout (e.g. 3,500 kg, 4,400 kg). You can find the corresponding specification for each layout in the technical data.

	Car 600	Car 602
Standard chassis	VW Crafter 35	VW Crafter 35
Drive	Test (JF)	Test (JF)
kW (hp)	103 (140)	103 (140)
Emission standards	Euro VI-E	Euro VI-E
Tire size	205/75 R 16 C	205/75 R16 C
Length / Width / Height (cm)	599 / 207 / 267 ¹⁾	599/207/267 ¹⁾
Roof type	Fix roof	Fix roof
Headroom in living area (cm)	189	189
Wheelbase (mm)	3640	3640
Mass in running order (-/+ 5%) (kg)*	2819 (2678 - 2960)*	Δ
Manufacturer-specified mass for optional equipment (kg)*	316	Δ
Technically permissible maximum laden mass (kg)*	3500	3500
Technically permissible maximum towable mass (kg)*	3000 ²⁾	3000 2)
Permitted number of seats (including driver)*	4 3)	2 ³⁾

2. The mass in running order...

... consists – to put it simply – of the basic vehicle with standard equipment plus a standard weight of 75 kg for the driver. It is legally permissible and possible for the mass in running order of your vehicle to deviate from the nominal value stated in the sales documents. The permissible tolerance is ± 5 %. The permissible range in kilograms is given in brackets after the mass in running order. In order to provide you with full transparency regarding possible weight deviations, ERIBA weighs each vehicle at the end of the line and informs your trade partner of your vehicle's weighing result for forwarding to you.

Detailed explanations on the subject of mass in running order can be found in the "Legal Information" section.

IMPORTANT INFORMATION REGARDING THE SELECTION OF YOUR MOTORHOME

3. The permitted number of seats (including driver)...

... is determined by the manufacturer in what is referred to as the type-approval procedure. This results in what is referred to as the mass of the passengers. For this, a standard weight of 75 kg per passenger (without driver) is calculated. Detailed explanations on the subject of mass of the passengers can be found in the "Legal Information" section.

Car 600 Car 602 Standard chassis VW Crafter 35 VW Crafter 35 Drive Test (JF) Test (JF) kW (hp) 103 (140) 103 (140) Emission standards Euro VI-E Euro VI-E Tire size 205/75 R 16 C 205/75 R 16 C Length / Width / Height (cm) 599 / 207 / 267 ¹⁾ 599 / 207 / 267 ¹⁾ Roof type Fix roof Fix roof Headroom in living area (cm) 189 189 Wheelbase (mm) 3640 3640 Mass in running order (-/+ 5%) (kg) ⁴ 2819 (2678 - 2960) ⁴ Δ Manufacturer -specified mass for optional equipment (kg) ⁴ 316 Δ Technically permissible maximum laden mass (kg) ⁴ 3500 3500 Technically permissible maximum towable mass (kg) ⁴ 3000 ²⁾ 3000 ²⁾ Permitted number of seats (including driver) ⁴ 4 ³⁾ 2 ³⁾
Drive Test (JF) Test (JF) kW (hp) 103 (140) 103 (140) Emission standards Euro VI-E Euro VI-E Tire size 205/75 R 16 C 205/75 R 16 C Length / Width / Height (cm) 599 / 207 / 267 ¹⁾ 599 / 207 / 267 ¹⁾ Roof type Fix roof Fix roof Headroom in living area (cm) 189 189 Wheelbase (mm) 3640 3640 Mass in running order (-/+ 5%) (kg)* 2819 (2678 - 2960)* Δ Manufacturer -specified mass for optional equipment (kg)* 316 Δ Technically permissible maximum laden mass (kg)* 3500 3500 Technically permissible maximum towable mass (kg)* 3000 ²⁾ 3000 ²⁾
kW (hp) 103 (140) 103 (140) Emission standards Euro VI-E Euro VI-E Tire size 205/75 R16 C 205/75 R16 C Length / Width / Height (cm) 599 / 207 / 267 ¹⁾ 599 / 207 / 267 ¹⁾ Roof type Fix roof Fix roof Headroom in living area (cm) 189 189 Wheelbase (mm) 3640 3640 Mass in running order (-/+ 5%) (kg)* 2819 (2678 - 2960)* Δ Manufacturer -specified mass for optional equipment (kg)* 316 Δ Technically permissible maximum laden mass (kg)* 3500 3500 Technically permissible maximum towable mass (kg)* 3000 ²⁾ 3000 ²⁾
Emission standards Euro VI-E Euro VI-E Tire size 205/75 R 16 C 205/75 R 16 C Length / Width / Height (cm) 599 / 207 / 267 ¹) 599 / 207 / 267 ¹) Roof type Fix roof Fix roof Headroom in living area (cm) 189 189 Wheelbase (mm) 3640 3640 Mass in running order (-/+ 5%) (kg)* 2819 (2678 - 2960)* Δ Manufacturer -specified mass for optional equipment (kg)* 316 Δ Technically permissible maximum laden mass (kg)* 3500 3500 Technically permissible maximum towable mass (kg)* 3000 ²¹ 3000 ²¹
Tire size 205/75 R 16 C 205/75 R 16 C Length / Width / Height (cm) 599 / 207 / 267 ³¹⟩ 599 / 207 / 267 ²¹⟩ Roof type Fix roof Fix roof Headroom in living area (cm) 189 189 Wheelbase (mm) 3640 3640 Mass in running order (-/+ 5%) (kg)* 2819 (2678 - 2960)* Δ Manufacturer-specified mass for optional equipment (kg)* 316 Δ Technically permissible maximum laden mass (kg)* 3500 3500 Technically permissible maximum towable mass (kg)* 3000 ²¹ 3000 ²¹
Length / Width / Height (cm) 599 / 207 / 267 ¹) 599 / 207 / 267 ¹) Roof type Fix roof Fix roof Headroom in living area (cm) 189 189 Wheelbase (mm) 3640 3640 Mass in running order (-/+ 5%) (kg)* 2819 (2678 - 2960)* Δ Manufacturer-specified mass for optional equipment (kg)* 316 Δ Technically permissible maximum laden mass (kg)* 3500 3500 Technically permissible maximum towable mass (kg)* 3000 ²) 3000 ²)
Roof type Fix roof Fix roof Headroom in living area (cm) 189 189 Wheelbase (mm) 3640 3640 Mass in running order (-/+ 5%) (kg)* 2819 (2678 - 2960)* Δ Manufacturer-specified mass for optional equipment (kg)* 316 Δ Technically permissible maximum laden mass (kg)* 3500 3500 Technically permissible maximum towable mass (kg)* 3000 ²¹ 3000 ²¹
Headroom in living area (cm) 189 189 Wheelbase (mm) 3640 3640 Mass in running order (-/+ 5%) (kg)* 2819 (2678 - 2960)* Δ Manufacturer-specified mass for optional equipment (kg)* 316 Δ Technically permissible maximum laden mass (kg)* 3500 3500 Technically permissible maximum towable mass (kg)* 3000 ²¹ 3000 ²¹
Wheelbase (mm) 3640 3640 Mass in running order (-/+ 5%) (kg)* 2819 (2678 - 2960)* Δ Manufacturer-specified mass for optional equipment (kg)* 316 Δ Technically permissible maximum laden mass (kg)* 3500 3500 Technically permissible maximum towable mass (kg)* 3000 ²¹ 3000 ²¹
Mass in running order (-/+ 5%) (kg)* $2819 (2678 - 2960)^*$ Δ Manufacturer-specified mass for optional equipment (kg)* 316 Δ Technically permissible maximum laden mass (kg)* 3500 3500 Technically permissible maximum towable mass (kg)* 3000^{-2} 3000^{-2}
Manufacturer-specified mass for optional equipment (kg)* 316 Δ Technically permissible maximum laden mass (kg)* 3500 3500 Technically permissible maximum towable mass (kg)* 3000 2
Technically permissible maximum laden mass (kg)* 3500 3500 Technically permissible maximum towable mass (kg)* 3000 ²⁾ 3000 ²⁾
Technically permissible maximum towable mass (kg)* 3000 ²⁾
Permitted number of seats (including driver)* 4 3) 2 3)

4. The manufacturer-specified mass for optional equipment...

... is a value set by ERIBA per layout for the maximum mass of optional equipment that can be ordered. This limit is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by ERIBA. If, in exceptional cases, the weighing at the end of the line nevertheless shows that the actual load capacity falls short of the minimum pay-mass due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle.

Detailed explanations on the subject of the effects of the tolerances on the minimum pay-mass and the payload can be found in the "Legal Information" section.

OPTIONAL EXTRAS ERIBA CAR

OF THOMAS EXCENDED TO THE	
	Edenoisides en
Chassis V100601627 VW Crafter 35 3,5t - 2,0l TDI SCR - 130 KW/177 PS - Euro VI-E ⁴⁾	1.290 O O 9
V20103880 Uprating to 3,88t 4)	2.650,- 0 0 3
vzotrosooo opracing to 5,000	2.030,- 0 0 3
Winter package	Price €
Electric auxiliary heater (supports the heater when warming the vehicle)	360,-
Laminated glass windscreen with heat-insulating glazing, heatable	360,-
Seat heating for driver and front passenger seats, separately adjustable in 3 stages	390,-
Headlight washer system with heated windscreen washer nozzles at the front	420,-
Package price	1.530,-
Package price	1.250,-
You save	280,-
Additional weight*	3.1

5. The additional weight of optional equipment and packages...

... increases the actual mass of the vehicle (= mass in running order plus selected optional equipment) and reduces the pay-mass. The specified value shows the additional weight compared to the standard equipment of the respective layout. The total weight of the selected packages and optional equipment must not exceed the manufacturer-specified mass for optional equipment.

PRICES AND TECHNICAL DATA ERIBA CAR





Car 600	Car 602
71,120	71,120
VW Crafter 35	VW Crafter 35
Front wheel drive	Front wheel drive
103 (140)	103 (140)
Euro VI-e	Euro VI-e
205/75 R 16 C	205/75 R 16 C
599 / 207 / 267 ¹⁾	599 / 207 / 267 ¹⁾
Fixroof	Fix roof
189	189
3640	3640
2819 (2678 - 2960)*	2820 (2679 - 2961)*
316	485
3500	3500
3000 ²⁾	3000 ²⁾
4 ³⁾	2 ³⁾
200 x 136	200 x 75 / 190 x 75
170 x 100 O	
2-30	2
90 (7)	70 (7)
Warm air, 4 kW	Diesel warm air EH, 6 kW
2x 11kg	1x 2.7kg
100	100
20	20
10	10
80	80
95 AGM	80 Lithium
2/4/6	2/4/6
	71,120 VW Crafter 35 Front wheel drive 103 (140) Euro VI-e 205/75 R 16 C 599 / 207 / 267 ¹⁾ Fix roof 189 3640 2819 (2678 - 2960)* 316 3500 3000 ²⁾ 4 ³⁾ 200 x 136 170 x 100 O 2 - 3 O 90 (7) Warm air, 4 kW 2x 11kg 100 20 10 I 80 95 AGM

Standard equipmentOn request (no extra cost)

O Optional equipment

Not possible

▲ Mandatory

□ Available in package

 \triangle Not known at the time of publication



* INFO

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to $\pm 5\,\%$ of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that ERIBA uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by ERIBA. The real weight of your vehicle ex works can only be determined when it is weighed at the end of the line. If, in

exceptional cases, the weighing shows that the actual load capacity falls below theminimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations in the footnotes section.

STANDARD EQUIPMENT ERIBA CAR

McTatter 35 3,5t - 2,01TDISCR -103 KW/140 PS - Euro VI-E 365 260 colour paint finish Uni Candy White / Deep Ocean Blue 3 i fuel tank 3 i nanual transmission 3 manual transmission 4 mignies start-stop system with brake energy recovery 4 ythere running lights with driving light control (automatic), "Leaving home" function and manual "Coming home" function 4 and adaption of the start of the s		Car 600
Si fuet tank If an	Chassis	
So manual transmission gines start-stop system with brake energy recovery whiten running lights with driving light control (automatic). 'Leaving home' function and manual 'Coming home' function allogen twin headlights' ont for glights inch. comering lights excellight range adjustment extriculty adjustable, No tede and folding exterior mirrors extincilly adjustable, No tede and folding exterior mirrors exterior with the folding for the folding exterior mirrors exterior with the folding for the folding exterior mirrors exterior with the folding for the folding exterior mirrors exterior automatic safety bets with belt height adjustment at the front and electric belt tensioner for the driver 2. Catabling thing extire extrance step extire extrance step extire extrance exterior with the folding exterior mirrors extrict windows in the driver and front passenger door entral locking for cab and habitation as well as garage doors reproressure monitoring system (inform massirement) extra for exterior of exterior mirrors extrict windows in the driver and front passenger door entral locking for cab and habitation as well as garage doors reproressure monitoring system (inform massirement) extra for exterior of exterior mirrors exterior of exterior of exterior mirrors exterior of exterior of exterior mirrors exterior o	Basis	
Since I tank Granual transmission gine starts-top system with brake energy recovery yither nunning light swith driving light control (automatic), "Leaving home" function and manual "Coming home" function alogen twin headlights ont of giphs incl. cornering light and spitchs with common from the control (automatic), "Leaving home" function and manual "Coming home" function alogen twin headlights ont of giphs incl. cornering light and spitch size of the control of the control (automatic), "Leaving home" function and manual "Coming home" function alogen twin leadlights ont of the control		• (
A annual transmission gines start-stop system with brake energy recovery yetime running lights with driving light control (automatic), "Leaving home" function and manual "Coming home" function alagent twin headlights ont for glights incl. cornering light coefficient range edipstishment extracely adjustable, heated and folding exterior mirrors extracely adjustable, and the folding exterior for the driver Deated the folding for cap and folding exterior measurement) extra contrace step extra contrace step extra contrace exterior measurement) extra contracely adjustable in height and reach termittent windscream wiper control with light and rain sensor reduces detection Extracely adjustable, the extracely adjustable in height and reach termittent windscream viger control with light and rain sensor reduces detection Extracely adjustable, the extracely adjustable in height and rain sensor reduce	75 I fuel tank	• (
yeline starts stop system with brake energy recovery yetime running lights with driving light control (automatic), "Leaving home" function and manual "Coming home" function allogen twin headlights out for glights incl. cornering light acting the start of the start	5G manual transmission	• (
aytime running lights with driving light control (automatic), "Leaving home" function and manual "Coming home" function allogen twin headinghts sont for gights incl. cornering light seadlight range adjustment. sedicipate range adjustment. sedicipate range adjustment. sedicipate range adjustable, heated and folding exterior mirrors einforced suspension / damping and increased stabilisation seinforced front asker with independent suspension faste load front/rear 2,100kg) ser axic as rigid axic with indigendent suspension table set and control unit upper painted in vehicle colour, without Maxi wheel arches (Fiat Ducato Maxi only) to the guard for the front underbody animated glass windscreen with thermal insulation glazing. "steal wheels (black) "steal wheels (black) "steal wheels (black) "briver and front passenger airbag with front passenger airbag deactivation resepoint automatic safety belts with belt height adjustment at the front and electric belt tensioner for the driver and front passenger of the passenger airbag deactivation resepoint automatic safety belts with belt height adjustment at the front and electric belt tensioner for the driver and front passenger of the passenger airbag deactivation resepoint automatic safety belts with belt height adjustment at the front and electric belt tensioner for the driver and front passenger door extire windows in the driver and front passenger door extire windows in the driver and front passenger door exterior extensions and the driver and front passenger door exterior extensions are also also habitation as well as garage doors repressure monitoring system (direct measurement) at the front and electric belt tensioner for the driver and front passenger door with a driver and front passenger door exterior extensions and the driver and front passenger door exterior extension and the driver and front passenger door exterior extensions and the driver and front passenger door exterior extensions and an exterior extension and exterior extensions and exterior extens		• (
alogen twin headlights on for (big lights inc. correinng light eadlight range adjustment ectrically adjustable, heated and folding exterior mirrors einforced suppension (famping and increased stabilisation einforced suppension (famping and increased stabilisation einforced suppension (famping and increased stabilisation einforced suppension (famping and increased stabilisation) einforced suppension (for two famping and increased stabilisation) einforced suppension (for two famping and control unit umper painted in vehicle color, without Maxi wheel packs (Fabrica) einfamiliated glass windscreen with thermal insulation glazing einfamiliated glass windscreen windscreen and einfamiliated glass windscreen windscreen and einfamiliated glass windscreen windscreen and einfamiliated glass windscreen windscreen einfamiliated glass windscreen einfamiliated glass windscreen ein einfamiliated glass ei	•	• (
eadlight range adjustment chrically adjustable, heated and folding exterior mirrors einforced suspension / damping and increased stabilisation inforced front axis with independent suspension (axie load front/rear 2.100kg) are axie as night axis with longitudinal leaf springs and bump stops experation for towbar (incl. trailer stabilisation) with cable set and control unit unper painted in vehicle colour, without Maxi wheat arches (Fiat Ducato Maxi ony) tone guard for the front underbody miniated glass windscreen with thermal insulation glazing 's steel wheels (black) illy digital cooking tith thintegrated 7" display river and front passenger airbag with front passenger airbag deactivation ree-point automatic safety belts with belt height adjustment at the front and electric belt tensioner for the driver D cabin lighting ethic entrance step ethic entrance step ethic windows in the driver and front passenger door entral locking for cab and habitation as well as garage doors rep repressure monitoring system (direct measurement) eth warning device "Unfastened seat belt" Double phone interface uitfunction leather steering wheel (3-spoke), heated uitfunction leather steering steering wheel grow wheel adjustable in height and reach termittent windscreen wiper control with light and rain sensor reduces detection Varunced assistance package with automatic distance control, speed limiter with predictive control, lane departure warning system plus nergency Assist and traffic jam assistant Is and a speak using a system "Lane assista" Is and eaparte warning system "Lane assista" Is and eaparte warning system "Lane assist" artic sign detection subschild five in the control "Air Care Climatronic" 12V sockets in the cab (three in the control pane	Halogen twin headlights	• (
cetrically adjustable, heated and folding exterior mirrors inforced suspension / damping and increased stabilisation inforced suspension / damping and increased stabilisation inforced front axle with independent suspension (axle load front/rear 2,100kg) are axle as rigid axle with independent suspension (axle load front/rear 2,100kg) are axle as rigid axle with independent suspension (axle load front/rear 2,100kg) are axle as rigid axle with independent suspension (axle load front/rear 2,100kg) are paratition for towate (include a tabilisation) with cable set and control unit umper painted in vehicle colour, without Maxi wheel arches (Fiat Ducato Maxi only) or guard for the front underbody aminated glass windscreen with thermal insulation glazing "steel wheels (black) "steel wheels (black) "steel wheels (black) "steel wheels (black) "the arm of the passenger airbag with front passenger airbag deactivation were-point automatic safety belts with belt height adjustment at the front and electric belt tensioner for the driver Doublinghting ectric windows in the driver and front passenger door ectric entrance step ectric windows in the driver and front passenger door extra locking for cab and habitation as well as garage doors yor pressure monitoring system (direct measurement) et warning device "Unfastened seat belt" oblic phone interface ultifurnation leather steering wheel (3-spoke), heated ectromechanical steering, steering wheel adjustable in height and reach termittent windscreen wiper control with light and rain sensor redoess detected in twarning device under the automatic distance control, speed limiter with predictive control, lane departure warning system plus mergency Assist and traffic jam assistant Start Assist BS (Anti-lock Brake System) / EBD (Electric Brake Force Distribution) ph-beam control "Light Assist"	Front fog lights incl. cornering light	• (
einforced Suspension / damping and increased stabilisation inforced front avice with independent suspension (axic load front/rear 2,100kg) inforced front avice with independent suspension (axic load front/rear 2,100kg) increade as rigid axic with longitudinal leaf springs and bump stops reparation for towbar (incl. trailer stabilisation) with cable set and control unit increased front the rest which colorur without Maxi whead carbos (Flat Ducato Maxi only) increased for the front underbody interpretation of the rest of the stabilisation with with the stabilisation with the stabilisation with with the stabilisatio	Headlight range adjustment	• (
einforced front aske with independent suspension (axle load front/rear 2,100kg) are axle as rigid axle with longitudinal leaf springs and bump stops eparation for towbar (incl. trailer stabilisation) with cable set and control unit umper painted in vehicle colour, without Maxi wheel arches (Fiat Ducato Maxi only) one guard for the front underbody aminated glass windscreen with thermal insulation glazing 's teel wheels (black) uity digital cockpit with integrated 7" display 'triver and front passenger airbag with front passenger airbag deactivation rece-point automatic safety belts with belt height adjustment at the front and electric belt tensioner for the driver D cablin lighting ectric entrance step ectric windows in the driver and front passenger door extric locking for cab and habitation as well as garage doors reception of the driver and front passenger door extra locking for cab and habitation as well as garage doors reception of the driver and front passenger door extra locking for cab and habitation as well as garage doors repressure monitoring system (direct measurement) et warning device "Unfastened seat belt" oblic phone interface ultifunction leather steering wheel (3-spoke), heated ectromechanical steering, wheel (3-spoke), heated ectromechanical steering, wheel adjustable in height and reach termittent windscreen wheer control with light and rain sensor rechess detection dvanced assistance package with automatic distance control, speed limiter with predictive control, lane departure warning system plus mergency Assist are amonitoring system with city emergency braking function aix Plot in front and rear areas Sociation of Brake System) / EBD (Electric Brake Force Distribution) ph-bean control "Light Assist" Toric Assist" Toric Assist" Toric Assist are amonitoring system with city emergency braking function aix Plot in front and rear areas Toric Assist are amonitoring system "Lane assist" Toric Assist are amonitoring system "Lane assist" Toric Assist are amonitoring system "Lane assist" T	Electrically adjustable, heated and folding exterior mirrors	• (
pear able as rigid axie with longitudinal leaf springs and bump stops reparation for towhar (incl. trailer stabilisation) with cable set and control unit umper painted in vehicle colour, without Maxi wheel arches (Fiat Ducato Maxi only) one guard for the front underbody aminated glass windscreen with thermal insulation glazing "steel wheels (black) illy digital cockolt with integrated 7" display river and front passenger airbag with front passenger airbag deactivation were-point automatic safety belts with belt height adjustment at the front and electric belt tensioner for the driver Docabin lighting cetric entrance step cetric entrance step cetric windows in the driver and front passenger door entral locking for cab and habitation as well as garage doors were pressure monitoring system (direct measurement) elt warning device "Unfastened seat belt" oblic phone interface ultifunction leather steering wheel (3-spoke), heated ectroenchanical steering, steering wheel adjustable in height and reach termittent windscreen wiper control with light and rais sensor redness detection dvanced assistance package with automatic distance control, speed limiter with predictive control, lane departure warning system plus mergency Assist and traffic jam assistant il Start Assist as (Anti-lock Prake System) / EBD (Electric Brake Force Distribution) gh-beam control "Light Assist" princh Assist" and departe warning system "Lane assist" raffic sign detection asker fluid level indicator lily automatic climate control "Ar Care Climatronie" 12 V sockets in the cab (three in the control panel, one in the left-hand seat frame) wo additional master keys re Mobility Set 22-volt compressor and tyre sealant rst aid material, warning triangle and safety waistcoat of volt ven 25 x 25 cm above bathroom and red aduminium framed windows out vent 70 x 50 cm above living area uot vent 70 x 50 cm above living area	Reinforced suspension / damping and increased stabilisation	•
reparation for towbar (incl. trailer stabilisation) with cable set and control unit uniper painted in vehicle colour, without Maxi wheel arches (Flat Ducato Maxi only) aminated glass windscreen with thermal insulation glazing "steel wheels (black) ally digital cockolt with integrated 7" display river and front passenger airbag with front passenger airbag deactivation rece-point automatic safety bets with beit height adjustment at the front and electric belt tensioner for the driver Doabin lighting cetric windows in the driver and front passenger adors ver pressure monitoring system (direct measurement) et warring device "Unfastened seat belt" belie phone interface uitfunction leather steering wheel (3-spoke), heated cetromechanical steering, steering wheel (3-spoke), beated etermitent windscreen wiper control with light and ranch termittent windscreen wiper control with light and rain sensor redness detection avanced assistance package with automatic distance control, speed limiter with predictive control, lane departure warning system plus mergency Assist and traffic jam assistant Sistant Assist" Islant Assist" Sistant Assist" All believes the service of the service	Reinforced front axle with independent suspension (axle load front/rear 2,100kg)	•
umper painted in vehicle colour, without Mad wheel arches (Flat Ducato Maxi only) to the guard for the front underbody to minated glass windscreen with thermal insulation glazing 5' steel wheels (black) Will wight all cooking the with the ment and the steel of the passenger airbag with front passenger airbag with front passenger airbag with front passenger airbag deactivation ree-point automatic safety belts with belt height adjustment at the front and electric belt tensioner for the driver ED cabin lighting ethic entrance step entrance ethic entrance step ent	Rear axle as rigid axle with longitudinal leaf springs and bump stops	•
tone guard for the front underbody aminated glass windscreen with thermal insulation glazing 5° steel whoels (black) 1lly digital cockpit with integrated 7° display 1° steel whoels (black) 1lly digital cockpit with integrated 7° display 1° river and front passenger airbag with front passenger airbag 10° cabin lighting 10° cabin lighting 10° cabin lighting 10° catric windows in the driver and front passenger door 10° cabin lighting 10° cabin light	Preparation for towbar (incl. trailer stabilisation) with cable set and control unit	• (
aminated glass windscreen with thermal insulation glazing 5' steel wheels (black)	Bumper painted in vehicle colour, without Maxi wheel arches (Fiat Ducato Maxi only)	•
in steel wheels (black) Inty digital cockpit with integrated 7" display Interver and front passenger airbag with front passenger airbag deactivation Ince-point automatic safety belts with belt height adjustment at the front and electric belt tensioner for the driver Do cabin lighting ectric entrance step ectric entrance step ectric windows in the driver and front passenger door entral locking for cab and habitation as well as garage doors yer pressure monitoring system (direct measurement) elit warning device "Unfastened seat belt" oblic phone interface ultifunction leather steering wheel (3-spoke), heated ectromechanical steering, steering wheel adjustable in height and reach termittent windscreen wiper control with light and rain sensor redness detection avanced assistance package with automatic distance control, speed limiter with predictive control, lane departure warning system plus mergency Assist and traffic jam assistant Ill Start Assist BIS (Anti-lock Brake System) / EBD (Electric Brake Force Distribution) gh-beam control "Light Assist" Tont Assist" Tont Assist" Arabic are monitoring system with city emergency braking function ark-Pliot in front and rear areas rosswind assistant and ecparte warning system "Lane assist" araffic sign detection ara	Stone guard for the front underbody	•
illy digital cockpit with integrated 7" display iver and front passenger airbag with front passenger airbag deactivation ree-point automatic safety belts with belt height adjustment at the front and electric belt tensioner for the driver Do cabin lighting ectric entrance step ectric windows in the driver and front passenger door entral locking for cab and habitation as well as garage doors re pressure monitoring system (direct measurement) elt warning device "Unfastened seat belt" obile phone interface ultifunction leather steering wheel (3-spoke), heated ectromechanical steering, steering wheel adjustable in height and reach termittent windscreen wiper control with light and rain sensor redness detection dvanced assistance package with automatic distance control, speed limiter with predictive control, lane departure warning system plus mergency Assist and traffic jam assistant Ill Start Assist SE (Anti-lock Brake System) / EBD (Electric Brake Force Distribution) gh-beam control "Light Assist" front Assist" area monitoring system with city emergency braking function arkPilot in front and rear areas rosswind assistant and edparte warning system "Lane assist" araffic sign detection value departure aring system "Lane assist" araffic sign detection alto device "United level indicator lity automatic climate control "Air Care Climatronic" 12 V sockets in the cab (three in the control panel, one in the left-hand seat frame) woo additional master keys re Mobility Set: 12-volt compressor and tyre sealant set aid material, warning triangle and safety waistcoat objective entrance step on habitation door suitated floor ark tinted windows in the living area sulated floor ark tinted windows in the living area sulated floor of vent 20 x 50 cm above living area oor vent 70 x 50 cm above living area	_aminated glass windscreen with thermal insulation glazing	•
river and front passenger airbag with front passenger airbag deactivation rece-point automatic safety beits with beit height adjustment at the front and electric belt tensioner for the driver De cabin lighting ectric entrance step ectric windows in the driver and front passenger door entral locking for cab and habitation as well as garage doors repressure monitoring system (direct measurement) ett warning device "Unfastened seat belt" oblie phone interface uitfurnction leather steering wheel (3-spoke), heated ectromechanical steering, steering wheel adjustable in height and reach termittent windscreen wiper control with light and rain sensor redness detection dvanced assistance package with automatic distance control, speed limiter with predictive control, lane departure warning system plus nergency Assist and traffic jam assistant listart Assist Bi Start Assist Si Start Assist and arraffic jam assistant listart Assist area monitoring system with city emergency braking function ark-Pliot in front and rear areas rosswind assistant and edparte warning system "Lane assist" arfic sign detection rasser fluid evic indicator ally automatic climate control "Air Care Climatronic" ally automatic climate control "Air Care Climatronic" ally automatic climate control "Air Care Climatronic" art fit is gin detection rasser fluid evic indicator art staid material, warning triangle and safety waistcoat objective entrance step on habitation door suitated floor ark tinted windows in the living area suitated aluminium framed windows out vent 20 x 50 cm above living area bot vent 20 x 50 cm above living area	L6" steel wheels (black)	•
Drace-point automatic safety belts with belt height adjustment at the front and electric belt tensioner for the driver Drachin lighting ectric windows in the driver and front passenger door entral locking for cab and habitation as well as garage doors yer pressure monitoring system (direct measurement) elt warning device "Unfastened seat belt" obilie phone interface uittfunction leather steering wheel (3-spoke), heated ectromechanical steering, steering wheel adjustable in height and reach termittent windscreen wiper control with light and rain sensor redness detection dvanced assistance package with automatic distance control, speed limiter with predictive control, lane departure warning system plus mergency Assist and traffic jam assistant Ill Start Assist SS (Anti-lock Brake System) / EBD (Electric Brake Force Distribution) gh-beam control "Light Assist" Tront Assist" area monitoring system with city emergency braking function ark Pilot in front and rear areas rosswind assistant and eaparte warning system "Lane assist" artific sign detection asher fluid level indicator ally automatic climate control "Air Care Climatronic" Lily automatic climate control "Air Care Climatronic" asher fluid level indicator and additional master keys en Mobility Set: 12-volt compressor and tyre sealant and additional master keys en Mobility Set: 12-volt compressor and tyre sealant art at all material, warning triangle and safety waistcoat obty ectric entrance step on habitation door suitated windows in the living area oof vent 70 x 50 cm in the rear oof vent 70 x 50 cm above living area oof vent 70 x 50 cm above living area	Fully digital cockpit with integrated 7" display	•
ED cable lighting ectric entrance step ectric windows in the driver and front passenger door entral locking for cab and habitation as well as garage doors yre pressure monitoring system (direct measurement) elt warning device "Unfastened seat belt" oblie phone interface ultifunction leather steering wheel (3-spoke), heated ectromechanical steering, steering wheel adjustable in height and reach termittent windscreen wiper control with light and rain sensor redness detection devanced assistance package with automatic distance control, speed limiter with predictive control, lane departure warning system plus mergency Assist and traffic jam assistant el package with automatic distance control, speed limiter with predictive control, lane departure warning system plus mergency Assist and traffic jam assistant el package with automatic distance control, speed limiter with predictive control, lane departure warning system plus mergency Assist and traffic jam assistant el package with automatic distance control, speed limiter with predictive control, lane departure warning system plus mergency Assist and traffic jam assistant el package with automatic distance control, speed limiter with predictive control, lane departure warning system plus mergency Assist and traffic jam assistant el package with automatic distance control "Egith Assist" area monitoring system with city emergency braking function arkPilot in front and rear areas or according to the capacity of the capa		•
ectric windows in the driver and front passenger door entral locking for cab and habitation as well as garage doors yre pressure monitoring system direct measurement) elt warning device "Unfastened seat belt" obile phone interface utilitunction leather steering wheel (3-spoke), heated ectromechanical steering, steering wheel adjustable in height and reach termittent windscreen wiper control with light and rain sensor redness detection dvanced assistance package with automatic distance control, speed limiter with predictive control, lane departure warning system plus mergency Assist and traffic jam assistant listart Assist BS (Anti-lock Brake System) / EBD (Electric Brake Force Distribution) gh-beam control "Light Assist" oran Assist" area monitoring system with city emergency braking function arkPilot in front and rear areas rosswind assistant ane departe warning system "Lane assist" araffic sign detection asher fluid level indicator ligh vultardiac climate control "Air Care Climatronic" 12 V sockets in the cab (three in the control panel, one in the left-hand seat frame) wo additional master keys re Mobility Set L2-volt compressor and tyre sealant rest aid material, warning triangle and safety waistcoat obty exterior entrance step on habitation door sulated aluminum framed windows oof vent 70 x 50 cm above living area oof vent 70 x 50 cm above living area oof vent 70 x 50 cm above living area	Three-point automatic safety belts with belt height adjustment at the front and electric belt tensioner for the driver LED cabin lighting	
entral locking for cab and habitation as well as garage doors /*re pressure monitoring system (direct measurement) et warning device "Unfastende seat bett" obile phone interface ultifunction leather steering wheel (3-spoke), heated ectromechanical steering, steering wheel adjustable in height and reach termittent windscreen wiper control with light and rain sensor redness detection dvanced assistance package with automatic distance control, speed limiter with predictive control, lane departure warning system plus mergency Assist and traffic jam assistant ill Start Assist BS (Anti-lock Brake System) / EBD (Electric Brake Force Distribution) igh-beam control "Light Assist" front Assist" are a monitoring system with city emergency braking function arkPilot in front and rear areas passwind assistant and departe warning system "Lane assist" artic sign detection ally automatic climate control "Air Care Climatronic" 12 V sockets in the cab (three in the control panel, one in the left-hand seat frame) wo additional master keys re Mobility Set: 12-volt compressor and tyre sealant rest aid material, warning triangle and safety waistcoat oby extrict warning area of vent 70 x 50 cm above bathroon of vent 70 x 50 cm above living area of vent 70 x 50 cm above living area of vent 70 x 50 cm above living area of vent 70 x 50 cm above living area	Electric entrance step	• (
elt warning device "Unfastened seat belt" obiblie phone interface ultifunction leather steering wheel (3-spoke), heated corromechanical steering, steering wheel adjustable in height and reach termittent windscreen wiper control with light and rain sensor redness detection dvanced assistance package with automatic distance control, speed limiter with predictive control, lane departure warning system plus mergency Assist and traffic jam assistant BS (Anti-lock Brake System) / EBD (Electric Brake Force Distribution) igh-beam control "Light Assist" front Assist" area monitoring system with city emergency braking function ark-Pilot in front and rear areas rosswind assistant and eparte warning system "Lane assist" and edparte warning system" "Lane assist" and edparte warning system" "Lane assist" altiful level indicator altily automatic climate control "Air Care Climatronic" 12 V sockets in the cab (three in the control panel, one in the left-hand seat frame) wo additional master keys re Mobility Set: 12-volt compressor and tyre sealant rest aid material, warning triangle and safety waistcoat objective entrance step on habitation door sulated floor ark third windows in the living area oof vent 7.0 x 5.0 cm above living area oof vent 7.0 x 5.0 cm above living area oof vent 7.0 x 5.0 cm above living area	Electric windows in the driver and front passenger door	•
elt warning device "Unfastened seat belt" obile phone interface utilitiunction leather steering wheel (3-spoke), heated ectromechanical steering, steering wheel adjustable in height and reach ectromechanical steering, steering wheel adjustable in height and reach termittent windscreen wiper control with light and rain sensor redness detection dvanced assistance package with automatic distance control, speed limiter with predictive control, lane departure warning system plus mergency Assist and traffic jam assistant ill Start Assist BS (Anti-lock Brake System) / EBD (Electric Brake Force Distribution) igh-beam control "Light Assist" orth Assist" area monitoring system with city emergency braking function ark/Pilot in front and rear areas rosswind assistant and eleparte warning system "Lane assist" araffic sign detection asher fluid level indicator ally automatic climate control "Air Care Climatronic" 21 V sockets in the cab (three in the control panel, one in the left-hand seat frame) wo additional master keys re Mobility Set: 12-volt compressor and tyre sealant st aid material, warning triangle and safety waistcoat odiv ectric entrance step on habitation door sulated aluminium framed windows oof vent 28 x 28 cm above bathroom oof vent 70 x 50 cm above living area oof vent 70 x 50 cm above living area oof vent 70 x 50 cm above living area oof vent 70 x 50 cm above living area oof vent 70 x 50 cm above living area	Central locking for cab and habitation as well as garage doors	• •
obile phone interface ultifunction leather steering wheel (3-spoke), heated ectromechanical steering, steering wheel adjustable in height and reach termittent windscreen wiper control with light and rain sensor redness detection dvanced assistance package with automatic distance control, speed limiter with predictive control, lane departure warning system plus mergency Assist and traffic jam assistant ill Start Assist BS (Anti-lock Brake System) / EBD (Electric Brake Force Distribution) gh-beam control "Light Assist" ront Assist" area monitoring system with city emergency braking function arkPilot in front and rear areas rosswind assistant ane departe warning system "Lane assist" araffic sign detection ally automatic climate control "Air Care Climatronic" 12 V sockets in the cab (three in the control panel, one in the left-hand seat frame) wo additional master keys re Mobility Set: 12-volt compressor and tyre sealant rest aid material, warning triangle and safety waistcoat odv ectric entrance step on habitation door sulated aluminium framed windows oof vent 28 x 28 cm above bathroom oof vent 70 x 50 cm above living area oof vent 70 x 50 cm above living area oof vent 70 x 50 cm above living area oof vent 70 x 50 cm above living area	yre pressure monitoring system (direct measurement)	• •
ultifunction leather steering wheel (3-spoke), heated ectromechanical steering, steering wheel adjustable in height and reach termittent windscreen wiper control with light and rain sensor redness detection dvanced assistance package with automatic distance control, speed limiter with predictive control, lane departure warning system plus mergency Assist and traffic jam assistant Ill Start Assist BS (Anti-lock Brake System) / EBD (Electric Brake Force Distribution) gh-beam control "Light Assist" orar Assist" area monitoring system with city emergency braking function arkPilot in front and rear areas rosswind assistant ene departe warning system "Lane assist" araffic sign detection /asher fluid level indicator ally automatic climate control "Air Care Climatronic" 12 V sockets in the cab (three in the control panel, one in the left-hand seat frame) wo additional master keys re Mobility Set: 12-volt compressor and tyre sealant rest aid material, warning triangle and safety waistcoat obty ectric entrance step on habitation door sulated aluminium framed windows oof went 28 x 28 cm above bathroom oof vent 70 x 50 cm in the rear oof vent 70 x 50 cm above living area oof vent 70 x 50 cm above living area oof vent 70 x 50 cm above living area oof vent 70 x 50 cm above living area	Belt warning device "Unfastened seat belt"	• •
ectromechanical steering, steering wheel adjustable in height and reach termittent windscreen wiper control with light and rain sensor redness detection dvanced assistance package with automatic distance control, speed limiter with predictive control, lane departure warning system plus mergency Assist and traffic jam assistant Bistart Assist	Mobile phone interface	• •
termittent windscreen wiper control with light and rain sensor redness detection dvanced assistance package with automatic distance control, speed limiter with predictive control, lane departure warning system plus mergency Assist and traffic jam assistant III Start Assist BS (Anti-lock Brake System) / EBD (Electric Brake Force Distribution) igh-beam control "Light Assist" Front Assist" area monitoring system with city emergency braking function arkPilot in front and rear areas rosswind assistant ane departe warning system "Lane assist" are fluid level indicator Illy automatic climate control "Air Care Climatronic" 12 V sockets in the cab (three in the control panel, one in the left-hand seat frame) wo additional master keys re Mobility Set: 12-volt compressor and tyre sealant stat aid material, warning triangle and safety waistcoat obty ectric entrance step on habitation door sulated floor ark tinted windows in the living area sulated aluminium framed windows oof vent 70 x 50 cm above living area oof vent 70 x 50 cm above living area oof vent 70 x 50 cm above living area oof vent 70 x 50 cm above living area oof vent 70 x 50 cm above living area	Multifunction leather steering wheel (3-spoke), heated	•
dvanced assistance package with automatic distance control, speed limiter with predictive control, lane departure warning system plus mergency Assist and traffic jam assistant Start Assist Start A		•
dvanced assistance package with automatic distance control, speed limiter with predictive control, lane departure warning system plus mergency Assist and traffic jam assistant illi Start Assist BS (Anti-lock Brake System) / EBD (Electric Brake Force Distribution) igh-beam control "Light Assist" front Assist" area monitoring system with city emergency braking function arkPilot in front and rear areas crosswind assistant ane departe warning system "Lane assist" areffic sign detection asher fluid level indicator ally automatic climate control "Air Care Climatronic" 12 V sockets in the cab (three in the control panel, one in the left-hand seat frame) wo additional master keys re Mobility Set: 12-volt compressor and tyre sealant rest aid material, warning triangle and safety waistcoat oddy exertine extrance step on habitation door sulated floor ark tinted windows in the living area sulated aluminium framed windows oof vent 70 x 50 cm above living area oof vent 70 x 50 cm above living area oof vent 70 x 50 cm above living area oof vent 70 x 50 cm above living area oof vent 70 x 50 cm above living area		
mergency Assist and traffic jam assistant Ill Start Assist		••
BS (Anti-lock Brake System) / EBD (Electric Brake Force Distribution) igh-beam control "Light Assist" cront Assist" area monitoring system with city emergency braking function ark Pilot in front and rear areas crosswind assistant ane departe warning system "Lane assist" ane departe warning system "Lane assist" angle departe warning system "Lane assist" ally automatic climate control "Air Care Climatronic" 12 V sockets in the cab (three in the control panel, one in the left-hand seat frame) wo additional master keys angle Mobility Set: 12-volt compressor and tyre sealant rest aid material, warning triangle and safety waistcoat ody ectric entrance step on habitation door sulated floor ark tinted windows in the living area sulated aluminium framed windows oof vent 28 x 28 cm above bathroom oof vent 70 x 50 cm in the rear oof vent 70 x 50 cm above living area oof vent 70 x 50 cm above living area oof vent 70 x 50 cm above living area oof vent 70 x 50 cm above living area oof vent 70 x 50 cm above living area oof vent 70 x 50 cm above living area	mergency Assist and traffic jam assistant	•
igh-beam control "Light Assist" Front Assist" area monitoring system with city emergency braking function arkPilot in front and rear areas archoswind assistant area departe warning system "Lane assist" area departe warning fluid level indicator ally automatic climate control "Air Care Climatronic" area woo additional master keys are Mobility Set: 12-volt compressor and tyre sealant area departe warning triangle and safety waistcoat area departed warning triangle and		•
Front Assist" area monitoring system with city emergency braking function arkPilot in front and rear areas rosswind assistant ane departe warning system "Lane assist" affic sign detection affic sign detection ally automatic climate control "Air Care Climatronic" 12 V sockets in the cab (three in the control panel, one in the left-hand seat frame) and additional master keys re Mobility Set: 12-volt compressor and tyre sealant rest aid material, warning triangle and safety waistcoat ody ectric entrance step on habitation door sullated floor ark tinted windows in the living area sullated aluminium framed windows oof vent 28 x 28 cm above bathroom oof vent 70 x 50 cm above living area oof vent 70 x 50 cm above living area oof vent 70 x 50 cm above living area oof vent 70 x 50 cm above living area oof vent 70 x 50 cm above living area		•
arkPilot in front and rear areas rosswind assistant and eleparte warning system "Lane assist" and eleparte warning system "Lane assist" and eleparte warning system "Lane assist" asher fluid level indicator ally automatic climate control "Air Care Climatronic" 12 V sockets in the cab (three in the control panel, one in the left-hand seat frame) wo additional master keys re Mobility Set: 12-volt compressor and tyre sealant rst aid material, warning triangle and safety waistcoat ody ectric entrance step on habitation door sulated floor ark tinted windows in the living area sulated aluminium framed windows oof vent 28 x 28 cm above bathroom oof vent 70 x 50 cm in the rear oof vent 70 x 50 cm above living area oof vent 70 x 50 cm above living area — end of vent 70 x 50 cm above living area — end of vent 70 x 50 cm above living area — end of vent 70 x 50 cm above living area		_ • •
rosswind assistant ane departe warning system "Lane assist" raffic sign detection /asher fluid level indicator ully automatic climate control "Air Care Climatronic" 12 V sockets in the cab (three in the control panel, one in the left-hand seat frame) wo additional master keys re Mobility Set: 12-volt compressor and tyre sealant ret aid material, warning triangle and safety waistcoat ody ectric entrance step on habitation door sulated floor ark tinted windows in the living area sulated aluminium framed windows oof vent 28 x 28 cm above bathroom oof vent 70 x 50 cm above living area oof vent 70 x 50 cm above living area oof vent 70 x 50 cm above living area		
ane departe warning system "Lane assist" raffic sign detection /asher fluid level indicator ully automatic climate control "Air Care Climatronic" 12 V sockets in the cab (three in the control panel, one in the left-hand seat frame) wo additional master keys re Mobility Set: 12-volt compressor and tyre sealant rst aid material, warning triangle and safety waistcoat ody ectric entrance step on habitation door sulated floor ark tinted windows in the living area sulated aluminium framed windows oof vent 28 x 28 cm above bathroom oof vent 70 x 50 cm in the rear oof vent 70 x 50 cm above living area oof vent 70 x 50 cm above living area oof vent 70 x 50 cm above living area oof vent 70 x 50 cm above living area		
raffic sign detection / asher fluid level indicator // ally automatic climate control "Air Care Climatronic" 12 V sockets in the cab (three in the control panel, one in the left-hand seat frame) // wo additional master keys // re Mobility Set: 12-volt compressor and tyre sealant // rest aid material, warning triangle and safety waistcoat // ody // ectric entrance step on habitation door // sulated floor // ark tinted windows in the living area // sulated aluminium framed windows // of vent 28 x 28 cm above bathroom // of vent 70 x 50 cm in the rear // of vent 70 x 50 cm above living area // of vent 70 x 50 cm above living area // of vent 70 x 50 cm above living area // of vent 70 x 50 cm above living area		
Asher fluid level indicator ally automatic climate control "Air Care Climatronic" 12 V sockets in the cab (three in the control panel, one in the left-hand seat frame) wo additional master keys re Mobility Set: 12-volt compressor and tyre sealant rst aid material, warning triangle and safety waistcoat ody ectric entrance step on habitation door sulated floor ark tinted windows in the living area sulated aluminium framed windows oof vent 28 x 28 cm above bathroom oof vent 70 x 50 cm in the rear oof vent 70 x 50 cm above living area oof vent 70 x 50 cm above living area oof vent 70 x 50 cm above living area oof vent 70 x 50 cm above living area		
ully automatic climate control "Air Care Climatronic" 12 V sockets in the cab (three in the control panel, one in the left-hand seat frame) wo additional master keys re Mobility Set: 12-volt compressor and tyre sealant rest aid material, warning triangle and safety waistcoat ody ectric entrance step on habitation door sulated floor ark tinted windows in the living area sulated aluminium framed windows oof vent 28 x 28 cm above bathroom oof vent 70 x 50 cm in the rear oof vent 70 x 50 cm above living area oof vent 70 x 50 cm above living area oof vent 70 x 50 cm above living area oof vent 70 x 50 cm above living area oof vent 70 x 50 cm above living area oof vent 70 x 50 cm above living area oof vent 70 x 50 cm above living area	•	
12 V sockets in the cab (three in the control panel, one in the left-hand seat frame) wo additional master keys re Mobility Set: 12-volt compressor and tyre sealant rst aid material, warning triangle and safety waistcoat ody ectric entrance step on habitation door sulated floor ark tinted windows in the living area sulated aluminium framed windows of vent 28 x 28 cm above bathroom oof vent 70 x 50 cm in the rear oof vent 70 x 50 cm above living area oof vent 70 x 50 cm above living area oof vent 70 x 50 cm above living area		
wo additional master keys re Mobility Set: 12-volt compressor and tyre sealant rst aid material, warning triangle and safety waistcoat ody ectric entrance step on habitation door sulated floor ark tinted windows in the living area sulated aluminium framed windows oof vent 28 x 28 cm above bathroom oof vent 70 x 50 cm in the rear oof vent 70 x 50 cm above living area oof vent 70 x 50 cm above living area oof vent 70 x 50 cm above living area oof vent 70 x 50 cm above living area	•	
re Mobility Set: 12-volt compressor and tyre sealant rst aid material, warning triangle and safety waistcoat ody ectric entrance step on habitation door sulated floor ark tinted windows in the living area sulated aluminium framed windows oof vent 28 x 28 cm above bathroom oof vent 70 x 50 cm in the rear oof vent 70 x 50 cm above living area oof vent 70 x 50 cm above living area oof vent 70 x 50 cm above living area		
rst aid material, warning triangle and safety waistcoat ody ectric entrance step on habitation door sulated floor ark tinted windows in the living area sulated aluminium framed windows oof vent 28 x 28 cm above bathroom oof vent 70 x 50 cm in the rear oof vent 70 x 50 cm above living area oof vent 70 x 50 cm above living area oof vent 70 x 50 cm above living area	•	
ectric entrance step on habitation door sulated floor ark tinted windows in the living area sulated aluminium framed windows oof vent 28 x 28 cm above bathroom oof vent 70 x 50 cm in the rear oof vent 70 x 50 cm above living area oof vent 70 x 50 cm above living area oof vent 70 x 50 cm above living area		
sulated floor ark tinted windows in the living area sulated aluminium framed windows soft vent 28 x 28 cm above bathroom oof vent 70 x 50 cm in the rear oof vent 70 x 50 cm above living area oof vent 70 x 50 cm above living area oof vent 70 x 50 cm above living area	3ody	
ark tinted windows in the living area sulated aluminium framed windows oof vent 28 x 28 cm above bathroom oof vent 70 x 50 cm in the rear oof vent 70 x 50 cm above living area oof vent 70 x 50 cm above living area oof vent 70 x 50 cm above living area	·	
sulated aluminium framed windows oof vent 28 x 28 cm above bathroom oof vent 70 x 50 cm in the rear oof vent 70 x 50 cm above living area oof vent 70 x 50 cm above living area	nsulated floor	
oof vent 28 x 28 cm above bathroom oof vent 70 x 50 cm in the rear oof vent 70 x 50 cm above living area oof vent 70 x 50 cm above living area —		
oof vent 70 x 50 cm in the rear oof vent 70 x 50 cm above living area oof vent 70 x 50 cm above living area —		
oof vent 70 x 50 cm above living area oof vent 70 x 50 cm above living area —		
oof vent 70 x 50 cm above living area		
	•	• -
Immable awning light	-	_ (
	JITIITIADIE AWTIITIS IISTIT	

	Car 600	Car 602	100 100
Outfitting Swivelling driver and front passenger seat, armrests and bench seat upholstered in living area fabric			
Living area bench seat with tilt adjustment	•	_	_
1 x ISOFIX child seat attachment for living area bench seat	•	-	-
Attachable table with slide-out extension	•	-	-
Free-standing table with fastening option while travelling	_	•	
Pull-out bed climb incl. load compartment partition	•	_	_
Load compartment partition			•
Mosquito net pleated blind for sliding door Lashing eyes embedded in the floor (4 pieces)			•
Gas cylinder storage compartment for 2 x 11 kg gas cylinders		_	_
Gas cylinder storage compartment for 2 x 11 kg gas cylinders		•	
Living and bedroom and lighting			
Side wall panelling with high-quality, heat- and noise-insulating felt	•		•
Vertically adjustable slatted frame with disc springs	•		-
Extendable disc spring slatted frame located under the seating group	_		
Dimmable ambient lighting in the living, kitchen and sleeping areas	•	•)
LED lighting	•		•
Multifunctional rails for matching accessories		_	,
Kitchen Kitchen drawer with cutlery insert			_
Hob-sink combination with glass cover (2-burner hob)	•		•
90 I compressor fridge (12 V or 230 V) incl. freezer compartment with excellent cooling performance and silent night mode	•	-	
90 I compressor fridge (12 V or 230 V) incl. freezer compartment with excellent cooling performance and silent night mode	_	•	
Drawers with high-quality pull-outs incl. self-closing mechanism	•	•	
Expandable worktop in the kitchen	•	•)
Bathroom			
Compact bathroom with lamella door	•)
Opaque bathroom window	•)
Foldable washbasin	•	4	'
Illuminated mirror Shower tray			•
Shower tray Towel rail	_ ;		_
Cassette toilet with level indicator			۰
Wooden shower slats	•	•	•
Shower curtain and shower hose holder	•	•	•
Installation & Technology			
Truma Combi 4 gas heater with integrated 10 litre hot water boiler, heating levels (2000/4000 watts)	•	-	-
7" touch display for convenient control and monitoring of important vehicle features and components	•	•	•
ERIBA Connect: Control and monitor important components and features of your vehicle conveniently with the ERIBA Connect app - anytim anywhere.	е,		
Additional sockets: 4 x 230 V / 1 x 12 V / 2 x Twin-USB (USB-A/C) incl. kitchen wall panelling			•
230 V external connection with earth leakage circuit breaker for 230 V & 12 V 100 litre fresh water tank inside (20 litres in driving position)			_
100 litre fresh water tank inside (20 litres in driving position)		•	D
80 I waste water tank (fitted underfloor)	•	•	•
Electric waste water drainage, operation from the seating group	•	•	
95 Ah habitation battery with charger	•	-	-
80 Ah lithium battery	_	•	•
Internal temperature sensor	•	•	•
Floor-level water and warm air heating installation	•		<u> </u>
Multimedia DAB+ digital radio reception			
eCall emergency call system for "Composition Audio", prepared for "We Connect"		•	ĺ
Rear-view camera	•	•)
Radio/TV preparation (aerial cable, 12 V socket, SAT connection/cabling)	•	•	
4 speakers and 2 tweeters in the rear	•	•	
Radio Composition with 26 cm (10 ") touch colour display with 4 loudspeakers, USB type-C data and charging socket with increased charging power and convenience telephony	•	•	•
Fabrics & Furniture finishes			
Furniture decor Deep Ocean	•)
Fabric combination Toledo Sand			7
 Standard equipment O Optional equipment Mandatory Not known at the time of publication Available in package 			

PACKS ERIBA CAR

Camping package	Price £
Folding darkening windscreen & darkening side windows driver's cabin.	830
Two additional multifunctional rechargeable battery lights	130
Two cushions in matching colours for the living room	80
Mattress topper.	210
Magnetic magnifying mirror	40
Package price	1,290
Package price	880
You save	410
Additional weight*	15

Standard equipmentOn request (no extra cost)

O Optional equipment

Not possible

▲ Mandatory

□ Available in package

 \triangle Not known at the time of publication



* INFC

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional

equipment shown in the model overviews. This is a calculated value for each type and layout that ERIBA uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

OPTIONAL EXTRAS ERIBA CAR

		Price £	Car 600	Car 602	Additional weight
Chassis V100601628	VW Crafter 35 3.5t - 2.0I TDI SCR - 120 KW/163 PS - Euro VI-e 4)	1,140	0	0	9
Basis	TW States 60 dist. Plot 15 to KW/155 TO Early VI 0	2,2 10.	Ğ	Š	
V20250170	Bicolour paint finish Uni Candy White / Cherry Red		◆	*	<u> </u>
V20250171	Bicolour paint finish Metallic Reflex Silver Metallic / Indium Grey Metallic		•	•	0
V20420A	8-gear automatic transmission	2,560	0	0	32
V2077113	LED high-performance headlights.	1,230	0	0	4.8
V20790J	Headlight washer system with heated windscreen washer nozzles at the front	370	0	0	2.8
V2007111	Detachable trailer coupling ball head (max. 3.0 t) incl. trailer stabilisation	1,020	0	0	39
V2090012	Front and rear mud flaps	120	0	0	1.2
V20391J	Laminated glass windscreen with heat-insulating glazing, heatable	320	0	0	0
V2021053	17" alloy wheels (black)	1,820	0	0	22.5
V2073512	All-season tyres ⁵⁾	230	0	0	0
V2069710	Wheel bolts, lockable	40	0	0	0
V20690J	Full wheel covers (for 16-inch steel wheels) 5)	110	0	0	6
V20720J	Smoker's version: 12 V socket with cigarette lighter, ashtray and 4 cup holders in the dashboard	40	0	0	0
V8043010	Extended assistance package with Lane Change Assist, Blind Spot Information (BSIS), with Moving Off Information (MOIS) on both sides	1,290	0	0	1.2
V8035015	"Park Assist" parking assistant (professional assistance package).	520	0	0	2.2
V2103210	Parking heater for windscreen de-icing and heating/ventilation of the cab with radio remote control ⁶⁾	1,260	0	0	12.3
V20855J	Seat heating for driver and front passenger seats, separately adjustable in 3 stages	350	0	0	0.3
V2107014	Fuel-operated auxiliary heater (supports the heater when warming the vehicle) 6) 7)	730	0	_	6.7
Outfitting					
V6001010	Folding darkening windscreen & darkening side windows driver's cabin.	830			4.5
Living and bed	room and lighting				
V6007511	Mattress topper.	210			8
V4044025	Bed construction for seating group incl. additional cushions	430	0	_	14
V60030J	Two cushions in matching colours for the living room	80			1
V60170J	Fitted sheets made to measure for rear beds individually adapted to mattress contours	130	0	0	2
V5013615	Two additional multifunctional rechargeable battery lights	130			1
Kitchen					
V4036010	Microwave	350	_	0	6
Bathroom					
V2013013	Magnetic magnifying mirror	40			0.5
Installation & T	echnology				
V5028021	Truma Combi D 6 E diesel heater with integrated 10 litre hot water boiler, heating levels 2000/4000/6000 watts and electric heating element, heating levels 900/1800 watts	1,410	0	•	9
V5028013	Truma Combi 6 E gas heater with integrated 10 litre hot water boiler, heating levels 2000/4000/6000 watts and electric heating element, heating levels 900/1800 watts	880	0	_	3
V5026013	Automatic gas bottle changeover system with crash sensor and IceEx	430	0	_	1
V5046510	Smart battery system (50 Ah lithium) incl. additional 18 A charger and battery computer ⁸⁾	1,060	0	_	10
V5046511	Smart battery system (150 Ah lithium) incl. additional 18 A charger and battery computer 9)	2,650		_	25
V5012515	Additional 80 Ah lithium battery	1,590	_	0	12.5
V5033017	Truma Aventa Compact roof air conditioner including remote control (1,700 watts cooling capacity) 10) 11)	2,300	0	0	18
V5073215	Pre-installation for solar modules	110	0	0	1
Multimedia					
V2067037	Discover Media navigation system with 26 cm (10") touch display with 4 loudspeakers, USB type-C data and charging socket with increased charging power and convenient telephony	980	0	0	0
Fabrics & Furn	ture finishes				
V100704150	Fabric combination Seattle Stone		♦	♦	0
V100704151	Boston Ruby leather upholstery	1,770	0	0	6
V100704150	Fabric combination Seattle Stone	1,770	0		•



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that ERIBA uses to determine the maximum weight available for factory fitted optional equipment. Detailed information and explanations on the factory-fitted optional equipment. Detailed information and explanations on the

subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, see the footnote explanations.

		Price £	Car 600	Car 602	Additional weight*
V100704152	Boston Sapphire leather upholstery	1,770	0	0	6
V100704153	Boston Iron leather upholstery	1,770	0	0	6
V100705154	Dayton Cognac leather upholstery	1,770	0	0	6
Packages					
V8042111	Camping package	880	0	0	15

 Standard equipment ◆On request (no extra cost)

O Optional equipment — Not possible

▲ Mandatory \square Available in package

 \triangle Not known at the time of publication

Further information from p. 11



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that ERIBA uses to determine the maximum weight available for factory fitted optional equipment. Detailed information and explanations on the factory-fitted optional equipment. Detailed information and explanations on the

subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, see the footnote explanations.

ORIGINAL ACCESSORIES FOR YOUR ERIBA CAR

The ERIBA Original Accessories product portfolio offers you various solutions with added value in an excellent fit and harmonious design naturally in proven ERIBA quality. From effective sun protection and insulation to a bike rack and the perfect awning, we offer you everything you need for carefree and comfortable travelling.




Enjoy shade and protection from the rain with the 3.25 m awning for the Eriha Car

Enhance your leisure experience with the high-quality Thule awning, which is perfectly adapted to the Eriba Car on VW Crafter - for unforgettable outdoor moments, whatever the weather.



Flexibility and safety with the folding bikerack

Maximise your freedom of travel with our lightweight bike carrier, which ensures stability and quick rear access and carries up to 45 kg safely.



The floor safe for your valuables

Secure your travel documents and valuables in the Eriba safe, which is inconspicuously installed in the service compartment under the seating group.



Privacy and sun protection included

Enjoy opaque protection from sunlight, heat and unwanted glances with our custom-fit sun protection mat, which is simply hung in the cab doors and at the same time provides a good view to the outside.



Storage bag + camping furniture - travelling and relaxing in comfort

Enjoy comfortable travel and stay organised with our custom-made storage bag and the accompanying high-quality Isabella furniture, which is safely stowed away and quietly transported.



Felt boxes for rear overhead locker - organisation made easy

Keep smaller items neatly organised during the journey with our secure felt boxes in original ERIBA felt, which hold perfectly in the roof storage compartment thanks to elasticated straps.

ERIBA Original Accessories also offers customised solutions for your sleeping comfort, insulating mats, cab carpets, stylish collection items and much more. Take a look at the entire product portfolio of ERIBA Original Accessories.



INFO

Original accessories are not available ex works but can be ordered and retrofitted via your ERIBA dealer. The items are retrofitted to the vehicle after delivery from the factory and not under the manufacturer's responsibility. ERIBA Original accessories retrofitted to the vehicle affect the load capacity and axle loads.

Please note that the technically permissible total weight on the axle must not be exceeded even after fitting the ERIBA Original accessories. Further information and explanations on the subject of weight can be found in our weight information.

IMPORTANT INSTRUCTIONS

Abbreviations

ABS - Anti-lock Braking System

ASR - Anti-Slip Control - Traction Control

EDS - Electronic Differential Lock

ESC - Electronic Stability Control - ESP

HBA - Hydraulic Brake Assist

LAC - Load Adaptive Control

MSR - Engine Drag Torque Control

EBV - Electronic Brake-Force Distribution

Any modification in the Original factory condition of your vehicle may result in impaired driving and / or driving safety.

Please note that the standard equipment may be omitted when ordering optional extras. Individual package contents can sometimes be ordered individually. Since not all dependencies of optional extras can be listed here, please check with your HYMER dealer.

Accessories and original spare parts recommended by Hymer GmbH & Co KG are designed, developed and approved specifically for your vehicle. Your HYMER dealer supplies these products; he is informed about all the technical details and can perform the necessary work in the correct manner. Accessories, add-on, conversion or installation parts not approved by Hymer GmbH & Co KG may cause damage to the vehicle and impair road safety. Even if an expert's report, a parts BE or a type approval is available for these parts, there is no presumption of the proper condition of the product. Please understand that for any damage caused by non-approved products or not permitted changes, Hymer GmbH & Co KG CANNOT be made liable.

Weight figures are approximate values. The payload stated in the price list is reduced by the weights stated in the price list if optional extras are fitted.

Please note: The alternative engine options available at extra cost, as well as all other chassis options such as automatic transmission and air conditioning, result in a change in weight. The additional weight of the individual chassis and engine variants as well as chassis options are always indicated in the chassis-related optional extras in the individual optional extras lists.

Please note: A maximum of 2 child seats are permitted on the bench seat in the living area, provided the table is removed and securely stowed. On an L-shaped seating group with fixed table, only one child seat is permitted beside the window. For this purpose, the side cushion must be removed and the table top moved towards the centre of the vehicle and locked in place. Please observe the exact instructions in the corresponding operating instructions. Please ensure that your observe the prescribed axle load when installing special parts attached to the rear of the vehicle, such as a motorcycle rack or trailer hitch.

The prices indicated are only valid for optional extras if fitted with the production of a new vehicle. The retrofitting of certain optional extras is sometimes not possible or associated with considerable additional costs.

This price list includes the series status at the time of printing. Despite checking the contents, errors can not be excluded. In the course of the model year, we reserve the right to change equipment and to make product improvements. The layouts are partially shown with optional extras available at extra cost, these are not part of the standard scope of delivery.

The water installation system is at least state-of-the-art as of 07/2011 (EG directive 2002/72/EG).

Before signing a sales contract, please inform yourself about our current product and series status with one of our approved HYMER dealers.

All prices are non-binding recommended retail prices in GBP including the legally valid value added tax (VAT), freight from Germany, first registration fee and pre-delivery inspection. For deliveries after the 31st of December 2020 import duties may apply. These are not included in the price and are charged separately.

Changes in price, design and equipment are possible without prior notice.

a) This is a recommended retail price based on German retail prices. Prices in other countries may differ due to currency conversion and country-specific VAT, fees and import duties. For the latest information, please ask a local dealer for the prices applicable in your country.

This price list supersedes all previous ones.

Collection / Pick-up:

Collection / Pick-up of your HYMER CamperVan at the factory is not possible.

FOOTNOTES

- 1) a) Overall width corresponds to the dimension incl. wheel arches (excl. exterior mirrors). b) The height changes if optional equipment such as SAT antenna, roof rails etc. is fitted. The standard radio roof aerial is not included in the overall height.
- 2) a) Up to 12 % incline: With increasing altitude, the engine power inevitably decreases. From 1,000 m above sea level and every further 1,000 m, 10 % of the trailer load must be deducted from the total towing capacity. b) The specification is the maximum towing capacity, taking into account the overall towing weight of the chassis variant. The overall towing weight and thus the towing capacity may vary depending on the equipment / chassis variant. Please contact us in this regard, we will be happy to calculate the towing capacity of your individual vehicle.
- 3) The specified number of people is reduced if the mass increases when the vehicle is ready to drive. An increase occurs in particular when the engine is different from the basic variant, when special equipment is installed and when a corresponding equipment variant is selected. Based on the weight information in the price list or by talking to your ERIBA trading partner, make sure that the technically permissible total mass is not exceeded and that there is enough loading capacity for people and supplies. Please note the weight balance of the vehicle.
- 4) A change in the weight variant is only possible in conjunction with the "Upload to 3.88t" option ex works. Please keep this in mind when ordering. 5) Only available in combination with the steel rims.
- 6) The fuel-operated additional heater cannot be combined with the auxiliary heater. Only one of these options can be selected.
- 7) The fuel-operated additional heater cannot be combined with the Truma Combi D6E. Only one of these options can be selected.
- 8) Not in conjunction with the Smart Battery system (150 Ah lithium) including additional charger 18 A and battery computer.
- 9) Not in conjunction with the Smart Battery system (50 Ah lithium) including additional charger 18 A and battery computer.
- 10) When ordering the roof air conditioning system, the standard roof hood 70 x 50 cm in the rear is omitted.
- 11) When ordering the roof air conditioning system, the overall vehicle height increases.

LEGAL NOTES ON WEIGHT-RELATED INFORMATION

The weight specifications and tests for motorhomes are uniformly regulated throughout the EU in EU Implementing Regulation No. 2021/535 (until June 2022: EU Implementing Regulation No. 1230/2012). We have summarised and explained the key terms and legal requirements from this regulation for you below. Our dealers and the ERIBA configurator on our website offer you additional assistance in configuring your vehicle.

1. Technically permissible maximum laden mass

The technically permissible maximum laden mass of the vehicle (e.g. 3,500 kg) is a mass specification set by the manufacturer which the vehicle must not exceed. Information on the technically permissible maximum laden mass of the model you have chosen can be found in the technical data. If the vehicle exceeds the technically permissible maximum laden mass in everyday driving, this constitutes an administrative offence which may result in a fine.

2. Mass in running order

In simple terms, the mass in running order is the basic vehicle with standard equipment plus a legally fixed standard weight of 75 kg for the driver. This essentially includes the following items:

- the unladen weight of the vehicle together with the bodywork, including operating fluids such as greases, oils and coolants;
- the standard equipment, i.e. all equipment items that are included as standard in the factory-fitted scope of delivery;
- the fresh water tank filled to 100 % in driving mode (driving fill according to manufacturer's specifications; 20 litres) and an aluminium gas cylinder filled to 100 % with a weight of 16 kg;
- the fuel tank, which is 90 % full, including fuel;
- the driver, whose weight regardless of the actual weight is generally specified as 75 kg in accordance with EU law.

Information on the mass in running order can be found for each model in our sales documents. It is important to note that the value for mass in running order given in the sales documents is a default value determined in the type-approval procedure and verified by the authorities. It is legally permissible and possible for the mass in running order of the vehicle delivered to you to deviate from the nominal value stated in the sales documents. The legally permissible tolerance is $\pm\,5\,\%$. In this way, the EU legislator accounts for the fact that certain fluctuations in the mass in running order occur due to variations in the weight of supplied parts as well as due to processes and weather conditions.

These weight deviations can be illustrated by means of an example calculation:

- Mass in running order acc. to sales documents: 2,850 \mbox{kg}
- Legally permissible tolerance of ± 5 %: 142.50 kg
- Legally permissible range of mass in running order: 2,707.50 kg to 2,992.50 kg $\,$

The specific range of permissible weight deviations can be found for each model in the technical data. ERIBA makes great efforts to reduce weight variations to the minimum that is unavoidable for production reasons. Deviations at the upper and lower end of the range are therefore very rare; however, they cannot be completely ruled out technically, even with all optimisations. The real weight of the vehicle and compliance with the permissible tolerance is therefore checked by ERIBA by weighing each vehicle at the end of the line.

3. Mass of the passengers

The mass of the passengers is set a standard value of 75 kg for each seat provided by the manufacturer, regardless of the actual weight of the passengers. The mass of the driver is already included in the mass in running order (see no. 2 above) and is therefore not included again. In the case of a motorhome with four permitted seats, the mass of the passengers is therefore 3*75 kg = 225 kg.

4. Optional equipment and actual mass of the vehicle

Optional equipment (also: additional equipment) includes, according to the legal definition, all optional equipment parts not included in the standard equipment which are fitted to the vehicle under the responsibility of the manufacturer – i.e. ex works – and can be ordered by the customer (e.g. awning, bicycle or motorbike carrier, satellite system, solar system, oven, etc.). Information on the individual or package weights of the optional equipment that can be ordered can be found in our sales documents. Optional equipment in this sense does not include other accessories that are retrofitted by the dealer or you personally after the vehicle has been delivered ex works.

The mass of the vehicle in running order (see no. 2 above) and the mass of the optional equipment fitted to a specific vehicle at the factory are together referred to as the actual mass. You will find the corresponding information for your vehicle after handover under item 13.2 of the Certificate of Conformity (CoC). Please note that this specification also represents a standardised value. Since the mass in running order – as an element of the actual mass – is subject to a legally permissible tolerance of $\pm\,5\,\%$ (see no. 2), the actual mass may also deviate accordingly from the stated nominal value.

5. Pay-mass and minimum pay-mass

The installation of optional equipment is also subject to technical and legal limits: Only so much optional equipment can be ordered and fitted at the factory that sufficient free weight remains for baggage and other accessories ("pay-mass") without exceeding the technically permissible maximum laden mass. The pay-mass is calculated by subtracting the mass in running order (nominal value according to sales documents, see no. 2 above), mass of the optional equipment and the mass of the passengers (see no. 3 above) from the technically permissible maximum laden mass (see no. 1 above). The EU regulations stipulate a fixed minimum pay-mass for motorhomes, which must remain as a minimum for baggage or other non-factory-fitted accessories. This minimum pay-mass is calculated as follows:

Minimum pay-mass in kg ≥ 10 * (n + L)

Where: "n" is the maximum number of passengers plus the driver and "L" is the overall length of the vehicle in metres.

For a motorhome with a length of 6 m and 4 approved seats, the minimum pay-mass is therefore e.g. 10 kg * (4 + 6) = 100 kg.

To ensure that the minimum pay-mass is maintained, there is a maximum combination of optional equipment that can be ordered for each vehicle model. In the above example with a minimum pay-mass of 100 kg, the total mass of optional equipment for a vehicle with four permitted seats and a mass in running order of 2,850 kg should not exceed 325 kg:

3,500 kg technically permissible maximum laden mass

- 2,850 kg mass in running order
- 3*75 kg mass of the passengers
- 100 kg minimum pay-mass
- = 325 kg maximum permissible mass of optional equipment

It is important to note that this calculation is based on the default value for mass in running order as defined in the type-approval procedure, without taking into account the permissible weight deviations for mass in running order (see no. 2 above). If the maximum permissible value for the optional equipment of (in the example) 325 kg is almost or completely exhausted, an upward weight deviation can therefore result in the minimum pay-mass of 100 kg being met mathematically using the default value for the mass in running order, although in fact there is no corresponding load capacity. Here, too, an example calculation for a vehicle with four seats, whose real weighed mass in running order is 2 % above the nominal value:

3,500 kg technically permissible maximum laden mass

- 2,907 kg real weighed mass in running order (+ 2% compared to the stated value of 2,850 kg)
- 3*75 kg mass of the passengers
- 325 kg optional equipment (maximum permissible value)
- = 43 kg actual load capacity (< minimum pay-mass of 100 kg)

In order to avoid such a situation, ERIBA further reduces the maximum permissible weight of the total optional equipment that can be ordered on a model-specific basis. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by ERIBA.

Since the weight of a specific vehicle can only be determined when it is weighed at the end of the line, in very rare cases a situation may arise in which the minimum pay-mass at the end of the line is not guaranteed, despite this limitation of optional equipment. In order to guarantee the minimum pay-mass even in these cases, ERIBA will check together with your trade partner and you before delivery of the vehicle whether, for example, the vehicle is loaded up, seats are reduced or optional equipment is removed.

6. Effects of tolerances of the mass in running order on the pay-mass

Regardless of the minimum pay-mass, you should note that unavoidable production-related fluctuations in the mass in running order – both upwards and downwards – have a mirror-image effect on the remaining load capacity: If you order our example vehicle (see no. 3. above), for example, with optional equipment with a total weight of 150 kg, the calculated pay-mass based on the default value for the mass in running order is 275 kg. The load capacity actually available may deviate from this value due to tolerances and may be higher or lower. If the mass in running order of your vehicle is, for example, permissibly 2 % higher than stated in the sales documents, the load capacity is reduced from

275 kg to 218 kg:

- 3.500 kg technically permissible maximum laden mass
- -2.907 kg real weighed mass in running order (+ 2% compared to the stated value of 2,850 kg)
- -3*75 kg mass of the passengers
- -150 kg optional equipment ordered for the specific vehicle
- = 218 kg actual load capacity

As a precaution to ensure that the calculated pay-mass is actually given, you should therefore take the possible and permissible tolerances for the mass in running order into account when configuring your vehicle. We also recommend that you weigh the laden motorhome on a non-automatic scale before each journey and, taking the individual weight of the passengers into account, determine whether the technically permissible maximum laden mass and the technically permissible maximum mass on the axle are observed.

Notice

This price list describes the series status at the time of printing. Despite checking the contents, printing errors cannot be ruled out. We reserve the right to make equipment changes or product improvements in the course of the model year. Please contact one of our authorised ERIBA dealers for information in the current product and series status before concluding a contract.

Some of the vehicles are shown with optional extras, which are included in the current price list and are available at an extra charge. The decoration shown is not part of the ERIBA scope of delivery. The information on scope of delivery, appearance, performance, dimensions and weights of the vehicles - deviations within the factory tolerances (+/- $5\,\%$ max.) are possible and permissible - corresponds to the knowledge available at the time of printing.

The information provided complies with European homologation regulations; these may change until the vehicle is purchased or until delivery. Your ERIBA dealer will be pleased to inform you about any changes and the standard scope of delivery.

Copyright © 2024 Hymer GmbH & Co. KG



Hymer GmbH & Co. KG Postfach 1140 D-88339 Bad Waldsee

www.hymer.com



Follow us on Facebook and Instagram! Facebook: @eriba.caravan Instagram @eriba_original